

"Tulip" Series



"Preliminary Version"

Watts	5
Emitting Angle	80°
Light Color	2700K (Warm White) / 6000K (Cool White)
Light Output (Lumens)	290lm / 350lm
Lumens per Watt (Efficacy)	58lm / 70lm
Lux @ 1m	200 lux


Color Accuracy (Color Rendering Index CRI)	80
---	----

Input Voltage	AC/DC 12V
Operating Temp.	- 20° c ~ 60° c
Operating Humid.	0% ~ 90%
Net Weight	65g
Socket	MR16 GU5.3
Life time est.	30,000hrs
Replacement for	Halogen MR16
Warranty*	2 years

Dimension(mm):



Product #:	TU536G (Champagne Gold),	TU566G (Champagne Gold),
	TU536S (Diamond Silver),	TU566S (Diamond Silver),
	TU536C (Carbon Ti),	TU566C (Carbon Ti),
	TU536R (Peach Red),	TU566R (Peach Red),
	TU536O (Solar Orange).	TU566O (Solar Orange).



Safety Certifications:

CE, FCC, RoHs

UL Pending...

No.2 Lane 176, Chung Hsing Rd, Sec 1, Wugu Township, Taipei County, Taiwan 248.

Tel: 886-2-2980-9000. Fax: 886-2-29803000.

Product Gallery:



No.2 Lane 176, Chung Hsing Rd, Sec 1, Wugu Township, Taipei County, Taiwan 248.
Tel: 886-2-2980-9000. Fax: 886-2-29803000.

Application Concept:



No.2 Lane 176, Chung Hsing Rd, Sec 1, Wugu Township, Taipei County, Taiwan 248.
Tel: 886-2-2980-9000. Fax: 886-2-29803000.